



When you think signs, think *Signal-Tech!*



LED Signs & Signals for *Financial Facilities* & Other Drive-Thru's

Signal-Tech
LED Directional Signs & Signals

Drive-thru Signs

**24 HR ATM
NIGHT DEPOSIT**

**24 HR ATM
NIGHT DEPOSIT**
14" h x 42" w x 2 1/4" d
ID#: 41060 (120-277VAC)
ID#: 54750 (12-24VDC)

24 HR ATM
7" h x 34" w x 2 1/4" d
ID#: 25930 (120-277VAC)
ID#: 51899 (12-24VDC)

24 HR ATM

CLEARANCE 7'-8"
7" h x 42" w x 2 1/4" d
ID#: 41061 (120-277VAC)
ID#: 54751 (12-24VDC)

CLEARANCE 7'-8"



OPEN | CLOSED
7" h x 18" w x 2 1/2" d
Overlaid
ID#: 5887 (120-277VAC)
ID#: 39858 (12-24VDC)



ATM
7" h x 18" w x 2 1/4" d
ID#: 26712 (120-277VAC)
ID#: 53962 (12-24VDC)



ATM
7" h x 18" w x 2 1/2" d
ID#: 5832 (120-277VAC)
ID#: 49055 (12-24VDC)



ATM ONLY
14" h x 18" w x 2 1/4" d
ID#: 25937 (120-277VAC)
ID#: 54941 (12-24VDC)



ATM ONLY
14" h x 18" w x 2 1/2" d
ID#: 5078 (120-277VAC)
ID#: 53950 (12-24VDC)

Bright LED signs keep drive-thru traffic moving

DO NOT ENTER

DO NOT ENTER
7" h x 34" w x 2 1/4" d
ID#: 25932 (120-277VAC)
ID#: 52875 (12-24VDC)


DO NOT ENTER




OPEN | CLOSED
9" h x 26" w x 2 1/2" d
Overlaid
ID#: 50916 (120-277VAC)
ID#: 52287 (12-24VDC)



X | Down Arrow
7" h x 7" w x 2 1/2" d
Overlaid
ID#: 6298 (120-277VAC)
ID#: 30134 (12-24VDC)



X | Down Arrow
10" h x 10" w x 2 1/2" d
Overlaid Triple Stroke
ID#: 45658 (120-277VAC)
ID#: 47836 (12-24VDC)



X | Down Arrow
18" h x 18" w x 2 1/2" d
Overlaid Double Stroke
ID#: 5492 (120-277VAC)
ID#: 30130 (12-24VDC)

Signal-Tech

877-547-9900



OPEN | CLOSED
14" h x 18" w x 2 1/4" d
ID#: 25938 (120-277VAC)
ID#: 47926 (12-24VDC)

OPEN



ATM
7" h x 18" w x 2 1/4" d
ID#: 25924 (120-277VAC)
ID#: 51939 (12-24VDC)



ATM
7" h x 18" w x 2 1/2" d
ID#: 5863 (120-277VAC)
ID#: 49205 (12-24VDC)



OPEN | CLOSED
7" h x 34" w x 2 1/4" d
ID#: 25883 (120-277VAC)
ID#: 47925 (12-24VDC)



OPEN | CLOSED
7" h x 34" w x 2 1/2" d
ID#: 6083 (120-277VAC)
ID#: 40765 (12-24VDC)



OPEN | CLOSED
34" h x 7" w x 2 1/2" d
Overlaid
ID#: 5747 (120-277VAC)
ID#: 53972 (12-24VDC)



**OPEN Right Down Arrow |
CLOSED Right Down Arrow**
34" h x 7" w x 2 1/2" d
Overlaid
ID#: 5748 (120-277VAC)
ID#: 53492 (12-24VDC)


I need a sign I can see!

We've got that.

Our LED signs are guaranteed readable in direct sunlight and maintenance free. They help your drive-thru lanes stand out so motorists can easily see what services are available and which lanes are open.

We offer a wide selection of signs with traditional messages or we can customize them to reflect your brand or service.

If you're looking to upgrade your drive-thru and get your signs fast, consider our stock signs that can ship out the same day they are ordered – almost 100 to choose from.



OPEN
7" h x 18" w x 2 1/2" d
ID#: 5868 (120-277VAC)
ID#: 33919 (12-24VDC)

Our signs are:

- Controlled by software, switch or dry contact relay
- Available in 120-277VAC or 12-24VDC
- Backed by an industry leading warranty

Did you know...?

We have a library of tens of thousands of custom messages specific to customers just like you.
Say what you want, say what you need!

Drive-thru Signs



NIGHT DEPOSIT
7" h x 34" w x 2 1/2" d
ID#: 6052 (120-277VAC)
ID#: 53963 (12-24VDC)



NIGHT DEPOSIT
7" h x 34" w x 2 1/4" d
ID#: 28141 (120-277VAC)
ID#: 53966 (12-24VDC)



NIGHT DROP
7" h x 34" w x 2 1/2" d
ID#: 6044 (120-277VAC)
ID#: 53967 (12-24VDC)




NIGHT DROP
7" h x 34" w x 2 1/4" d
ID#: 35452 (120-277VAC)
ID#: 53968 (12-24VDC)




ATM ONLY
7" h x 34" w x 2 1/2" d
ID#: 6024 (120-277VAC)
ID#: 49065 (12-24VDC)

Direct motorists to open drive-thru lanes



ATM
7" h x 34" w x 2 1/4" d
ID#: 27873 (120-277VAC)
ID#: 53971 (12-24VDC)



OPEN | CLOSED
7" h x 34" w x 2 1/4" d
ID#: 25883 (120-277VAC)
ID#: 47925 (12-24VDC)



24 HR ATM
7" h x 34" w x 2 1/4" d
ID#: 25930 (120-277VAC)
ID#: 51899 (12-24VDC)



24 HR ATM
7" h x 34" w x 2 1/2" d
ID#: 8066 (120-277VAC)
ID#: 49285 (12-24VDC)



ATM / NIGHT DROP
7" h x 34" w x 2 1/4" d
ID#: 28579 (120-277VAC)
ID#: 53970 (12-24VDC)



ATM
7" h x 34" w x 2 1/2" d
ID#: 6029 (120-277VAC)
ID#: 49077 (12-24VDC)

Signal-Tech

For more information about these products visit signal-tech.com or contact sales@signal-tech.com

877-547-9900



TELLER OPEN

TELLER | OPEN | CLOSED

7" h x 34" w x 2 1/2" d
Overlaid
 ID#: 6098 (120-277VAC)
 ID#: 53969 (12-24VDC)

ATM ONLY

7" h x 34" w x 2 1/4" d
 ID#: 25928 (120-277VAC)
 ID#: 51900 (12-24VDC)

ATM | OPEN | CLOSED

7" h x 34" w x 2 1/2" d
Overlaid
 ID#: 6076 (120-277VAC)
 ID#: 49096 (12-24VDC)

OPEN
CLOSED

My lanes are multi-functional!


We have you covered.

Direct motorists to an open pickup window or teller lane using our eco-friendly LED signs.

Change lane status or available services with the flick of a switch.

Choose a sign with multiple messages to give you the flexibility to change the flow of traffic or services available at any time.

Use your sign to effectively communicate to motorist in your drive-thru and keep customers moving quickly.



ATM/COMMERCIAL DEPOSIT

ATM/COMMERCIAL DEPOSIT

7" h x 54" w x 2 1/2" d
 ID#: 48357 (120-277VAC)
 ID#: 54753 (12-24VDC)

TCIL Series LED Signals

Designed for directing traffic easily and without confusion. Our TCIL series signals have a user serviceable light source and can be customized by LED color and flashing effects.

Available in:


- Horizontal or vertical orientations
- Post or surface mount
- 120-277VAC or 12-24VDC



14" h x 7" w x 6" d
Vertical
 ID#: 50937 (120-277VAC)
 ID#: 51592 (12-24VDC)

LED Traffic Controller

7" h x 14" w x 6" d
Horizontal
 ID#: 52170 (120-277VAC)
 ID#: 51593 (12-24VDC)



14" h x 7" w x 5" d
Vertical
 ID#: 42242 (120-277VAC)
 ID#: 42785 (12-24VDC)

LED Replacement Kit

7" h x 14" w x 5" d
Horizontal
 ID#: 42241 (120-277VAC)
 ID#: 42786 (12-24VDC)

Did you know...?

All of our products can be manufactured to accept a 12-24 VDC input.

Call for a quote today!

Drive-thru Signs



ITM | OPEN
ATM | OPEN
 14" h x 34" w x 2 1/4" d
 ID#: 44617 (120-277VAC)
 ID#: 54946 (12-24VDC)

COMMERCIAL
OPEN CLOSED

COMMERCIAL
OPEN | CLOSED
 14" h x 34" w x 2 1/4" d
 ID#: 38982 (120-277VAC)
 ID#: 51897 (12-24VDC)

COMMERCIAL
OPEN

COMMERCIAL
OPEN | CLOSED
 14" h x 34" w x 2 1/2" d
Overlaid
 ID#: 5259 (120-277VAC)
 ID#: 53956 (12-24VDC)

OPEN
CLOSED

DRIVE-UP OPEN
ATM OPEN

DRIVE-UP | OPEN | CLOSED
ATM | OPEN | CLOSED
 14" h x 34" w x 2 1/2" d
Overlaid
 ID#: 11807 (120-277VAC)
 ID#: 53960 (12-24VDC)


OPEN
CLOSED

TELLER OPEN
ATM OPEN

TELLER | OPEN | CLOSED
ATM | OPEN | CLOSED
 14" h x 34" w x 2 1/2" d
Overlaid
 ID#: 5286 (120-277VAC)
 ID#: 53961 (12-24VDC)

OPEN
CLOSED

Customize don't compromise



DRIVE THRU OPEN
 7" h x 34" w x 2 1/2" d
 ID#: 14865 (120-277VAC)
 ID#: 54754 (12-24VDC)

OPEN
CLOSED

OPEN | CLOSED
 14" h x 18" w x 2 1/4" d
 ID#: 25938 (120-277VAC)
 ID#: 47926 (12-24VDC)

OPEN
CLOSED

OPEN | CLOSED
 14" h x 18" w x 2 1/2" d
 ID#: 5112 (120-277VAC)
 ID#: 34953 (12-24VDC)

OPEN

OPEN
 7" h x 18" w x 2 1/4" d
 ID#: 25925 (120-277VAC)
 ID#: 51940 (12-24VDC)

OPEN

OPEN
 7" h x 18" w x 2 1/2" d
 ID#: 5868 (120-277VAC)
 ID#: 33919 (12-24VDC)

ATM OPEN
ITM OPEN

ATM | OPEN | CLOSED
ITM | OPEN | CLOSED
 14" h x 34" w x 2 1/2" d
Overlaid
 ID#: 37421 (120-277VAC)
 ID#: 41232 (12-24VDC)

OPEN
CLOSED

Signal-Tech

For more information about these products visit signal-tech.com or contact sales@signal-tech.com

877-547-9900



**ATM | OPEN | CLOSED
TELLER | OPEN | CLOSED**

14" h x 42" w x 2 1/4" d
ID#: 47743 (120-277VAC)
ID#: 53957 (12-24VDC)

But I need a different message!

No problem.

Let us help you create a sign that fits your specific needs. Choose your LED color, paint color, cabinet size, and even pick to have us print your custom logo or graphic. Add a flasher, strobe, audible alarm or wall switch to enhance your sign.

Our custom signs are built with the same level of quality and efficiency as our stock signs and best of all there is **no minimum** order quantity.

All of our signs are engineered, and assembled in Erie, PA, so we can build each sign to order and are able to ship custom signs in two weeks or less.



OPEN | CLOSED

7" h x 34" w x 2 1/4" d
ID#: 25883 (120-277VAC)
ID#: 47925 (12-24VDC)



COMMERCIAL

7" h x 34" w x 2 1/4" d
ID#: 25929 (120-277VAC)
ID#: 47358 (12-24VDC)

COMMERCIAL

7" h x 34" w x 2 1/2" d
ID#: 6032 (120-277VAC)
ID#: 37159 (12-24VDC)

14" h x 7" w x 2 1/2" d
Vertical

ID#: 5440 (120-277VAC)
ID#: 30126 (12-24VDC)

14" h x 7" w x 2 1/2" d
Vertical


ID#: 5439 (120-277VAC)
ID#: 30128 (12-24VDC)

**Double Indicator Dots
w/o Hoods**

7" h x 14" w x 2 1/2" d
Horizontal
ID#: 10893 (120-277VAC)
ID#: 33103 (12-24VDC)

**Double Indicator Dots
w/ Hoods**

7" h x 14" w x 2 1/2" d
Horizontal
ID#: 7383 (120-277VAC)
ID#: 33826 (12-24VDC)



Did you know...?

We believe in American workers. Our products are proudly engineered, assembled and tested in Erie, PA.

We do **MORE** than you think...

Let us manufacture a sign that meets **your** unique requirements.

Personalize **your** design with customized selections:

- Message wording, color and font style
- Illumination style – direct-view or backlit
- Custom paint color and finish – including PMS color matching
- Full color graphics and symbols, including PMS color matching for logo branding

Optional Accessories:

- Beacon strobe
- Piezo alarm
- Flasher

Signal-Tech

LED Directional Signs & Signals

4985 Pittsburgh Avenue • Erie, Pennsylvania 16509
Toll Free: **877/547-9900** • Fax: **814/835-2300**

signal-tech.com

Copyright © 2021 Signal Technologies, Inc.