




When you think signs, think *Signal-Tech!*



Network-based Financial Sign Control *Smart Sign System*

Signal-Tech
LED Directional Signs & Signals

Are you Considering...

- Controlling lane lights remotely
- Installing interactive teller machines in your drive-thru lanes
- Extending your teller-service drive-thru hours beyond the branch business hours
- Staffing drive-thru lanes with remotely located tellers

Who will control your signs?

The Smart Sign System is the simple way to control drive-thru signs remotely and autonomously.



Promote Drive-up ITM Services

For many customers, interactive teller machines offer a range of services that are new at an ATM-style drive-up. If your customer is confused about available services, they may be hesitant to use the new equipment.

Confusion may lead to under utilization of the technology and traffic backups in the service lanes. Alleviate their confusion. Use proper lane signage to direct customers to the open lanes and show them the ITM or ATM services that are available.




Brand Your Lane Signs

Customize your Smart Signs to align with your ITM marketing program. Incorporate your ATM and ITM service branding in the Smart Sign message to make it easier and faster for customers to recognize which services are available at the drive-thru.

Looking for help customizing your lane signage?

One of our sales specialists can help!



Sign Control Software

Organizes and controls individual messages on each Smart Sign display.

The Smart Sign System

- Centralized, network sign control
- Virtually infinite expansion
- A perpetual weekly schedule to sign messages in all locations

Signal-Tech

877-547-9900



Edit Schedule [X]

Schedule Name: Sign Type: 37421: ATM | OPEN | CLOSED | ITM |

- Double-click an empty area to create a new schedule item.
- Right-click an existing schedule item to delete it.
- Double-click an existing schedule item to edit it.
- Drag edges to change the start and end times of schedule items.

Day	12am	2am	4am	6am	8am	10am	12pm	2pm	4pm	6pm	8pm	10pm	12a
Sunday	ATM OPEN ITM CLOSED												
Monday	ATM OPEN ITM CLOSED	ATM OPEN ITM OPEN						ATM OPEN ITM CLOSED					
Tuesday	ATM OPEN ITM CLOSED	ATM OPEN ITM OPEN						ATM OPEN ITM CLOSED					
Wednesday	ATM OPEN ITM CLOSED	ATM OPEN ITM OPEN						ATM OPEN ITM CLOSED					
Thursday	ATM OPEN ITM CLOSED	ATM OPEN ITM OPEN						ATM OPEN ITM CLOSED					
Friday	ATM OPEN ITM CLOSED	ATM OPEN ITM OPEN						ATM OPEN ITM CLOSED					
Saturday	ATM OPEN ITM CLOSED	ATM OPEN ITM OPEN						ATM OPEN ITM CLOSED					

Description	Start Time	End Time	Message
Labor Day	9/5/2018 8:00:00 AM	9/5/2018 8:00:00 PM	ATM OPEN ITM CLOSED

Smart Sign System Components

Smart Signs

Look like Signal-Tech traditional LED signs but are controlled with software instead of switches. Once the Smart Sign is connected to your network via Ethernet, the sign messages can be controlled with the software from anywhere on the facility network.

Sign Control Software

Organizes and manages all Smart Signs in the system as well as controls the message(s) that each Smart Sign displays.

Consists of two parts: the Administrative (Admin) Software and the Web Interface.

Admin Software

Used to configure the system, enter the Sign Message schedule and manage access to the Web Interface.

The Sign Message Schedule is a weekly master schedule defining the day and time messages will display. Each day can have different messages, including periods of time when the Smart Sign blanks-out or displays nothing at all. The weekly schedule will loop indefinitely until edited and can be temporarily interrupted with the manual or scheduled override function to accommodate special holiday hours, equipment maintenance, etc.

The Admin Software is used to assign and disable user access, define user access permissions and establish password strength requirements.

Sign Message Schedule

The Sign Message Schedule is a weekly master schedule defining the day and time messages will display. The Software is capable of providing individualized scheduling for lane signs in each location.

Web Interface

Used by individuals who need to manage the sign messages but do not have access to the Admin Software. Can be used to monitor sign message status in real-time and to interrupt the master weekly schedule with a temporary override message.

Users need a password and network connection, typically set up by their IT administrator, to access and view the Web Interface. The Interface is viewable through a browser on any PC or mobile device with network access.



System Offers:

- Ability to view sign message status in real-time
- A feature to temporarily override the message schedule for special holiday hours, equipment maintenance, etc.

The Smart Sign System
Exclusively Available
 through our network
 of Trained Partners

When you choose The Smart Sign System you're choosing a sign control system that is:

- Capable of remotely controlling sign messages for multiple signs, in multiple locations
- Designed to provide individualized scheduling for lane signs at each location
- Ideal for controlling lane signs before or after branch business hours and in unstaffed locations
- Supported by a trained network of providers and an in-house engineering team in the USA

Easy to Install

Smart Signs fit in the same physical footprint as traditional signs and only require Ethernet and a power connection for operation.

Scalable

Once the software is installed, Smart Signs can be added to the network individually or in large numbers; there's no limit to the number of locations or signs it can control.

System Topology

Sign Control Software resides on a facility network server. Once the software is installed, Smart Signs can be added at any physical location that has access to the network.

Remote Sign Control

Automatically controls sign messages any time of the day or night, in staffed and unstaffed locations using a weekly master schedule.

Trained Install Partners

Distributed through a network of trained installers.

It's the **Automated Solution** for sign control.

System Requirements

Sign Control & Reporting Software

Computer Requirements:

Server grade PC with power backup running Windows 10 or Windows Server 2012 or higher.

Minimum Requirements:

8GB RAM and 128GB of hard drive space.

Network Requirements:

• Ethernet • DHCP enabled

Smart Sign System

Each Static Sign Requires

- A power connection at the sign of either 12–24VDC or 120–277VAC based on sign series
- A wired Ethernet network connection at the sign
- DHCP static IP lease

Each S-VMS Rebel Programmable Sign Requires

- A power connection at the sign of 120–240VAC
- A wired Ethernet network connection at the sign
- DHCP static IP lease

Signal-Tech

LED Directional Signs & Signals

4985 Pittsburgh Avenue • Erie, Pennsylvania 16509
Toll Free: **877/547-9900** • Fax: **814/835-2300**

signal-tech.com

Copyright © 2023 Signal Technologies, Inc.